



Tulong!Sulong!

Republic of the Philippines  
DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT  
Field Office 02  
Regional Center, Carig, Tuguegarao City  
Tel Nos. (078)304-1004 Telefax (078)304-0586

REQUEST FOR PRICE QUOTATION

23-03-0223

Date: March 13, 2023

Purpose: to replace defective parts of inspected ICT Equipment

The DSWD Regional Office announces its intention to purchase goods and services and invites into BID for the following:

| ITEM NO | ITEM  | Quantity | Unit | Price Quotation |             | Remarks          |
|---------|---|----------|------|-----------------|-------------|------------------|
|         |   |          |      | Unit Price      | Total Price |                  |
| 1       | All-in-one eco tank inkjet printer with ADF                 | 4        | pcs  |                 |             | PR# 2023-03-0402 |
| 2       | Heavy Duty Wifi Duplex All-in-One Inkjet Printer with ADF   | 1        | pc   |                 |             |                  |
| 3       | 1 Terabyte 2.5" Solid State Drive                           | 3        | pcs  |                 |             |                  |
| 4       | Keyboard for HP Probook 450 G5                              | 1        | pc   |                 |             |                  |
| 5       | Branded 21.5" inches Monitor with Authorized Service Center | 1        | pc   |                 |             |                  |
|         | ***Please see attached Specification***                     |          |      |                 |             |                  |
|         | <b>Total Approved Budget = P 133,600.00</b>                 |          |      |                 |             |                  |

Notes:

\*This can be sent through fax. Submission must be two (2) days upon receipt. Late canvass shall be automatically rejected.

\* Price quotations must be inclusive of tax.

All interested suppliers are requested to **SUBMIT THEIR BIDS** on or before \_\_\_\_\_ to the DSWD Regional Office, Regional Center, Carig,

\*DSWD E-Mail Address at bacsec.fo2@dswd.gov.ph

\*DSWD Regional Bids and Awards Committee

The following suppliers' business documents are required for submission to DSWD BAC Secretariat before bid submission:

\*DTI Business registration

\*Mayor's Permit

\*TAX Clearance

Others Required:

Bids submitted not in consonance with the above stated date, time and place would be rejected.

  
CELSO L. ARO JR.  
BAC Chairperson  
Director III

Quoted by:

Canvassed By:

Registered Business Name

Canvasser

(Signature over printed name)

Printed Name and Signature of Owner/Authorized Representative

Business Address : \_\_\_\_\_

Date of Submission : \_\_\_\_\_

Contact No : \_\_\_\_\_

Terms of Payment : \_\_\_\_\_

TIN Number : \_\_\_\_\_

Philgeps Registration no.

ACKNOWLEDGMENT RECEIPT

Date: \_\_\_\_\_

This is to acknowledge receipt of Request for Price Quotation 23-03-0223 from the Department of Social Welfare and Development (DSWD) Field Office 02, Regional Center, Carig, Tuguegarao City, Cagayan

Name of Company/Supplier/Bidder/Service Provider: \_\_\_\_\_

Signature over Printed Name of Representative/Owner

Date Received

DSWD Field Office 02, #3 Dalan na Pagayaya, Regional Government Center, Carig, Tuguegarao City, Philippines 3500

Email: fo2@dswd.gov.ph Tel. Nos.: (078) 304-0586; (078) 304-1004

Website: <http://www.fo2.dswd.gov.ph>





## Full Specifications Printer

**Printer Type:** All-in-one Eco tank Inkjet Printer

**Functionality:** Print, Scan, Copy, Fax with ADF

**Print Speed:**

- ✓ Photo Default – 10 x 15 cm / 4 x 6": Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) \*1
- ✓ Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm \*1
- ✓ ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm \*1
- ✓ First PageOut Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec \*1

**Copy Quality:** Colour / Black-and-White; Draft / Standard

**Maximum Copies from Standalone:** 99 copies

**Maximum Copy Size:**

- ✓ Legal
- ✓ ISO 29183, A4, Simplex (Black / Colour): Up to 7.0 ipm / 1.7 ipm
- ✓ Max Copy Resolution: 600 x 600 dpi
- ✓ Scanner Type: Flatbed colour image scanner
- ✓ Sensor Type: CIS
- ✓ Reduction/Enlargement: 25-400%

**Scan Optical Resolution:** 1200 x 2400 dpi

**Maximum Scan Area:** 216 x 297 mm (8.5 x 11.7")

**Scanner Bit Depth (Colour):** 48-bit input, 24-bit output

**Scanner Bit Depth (Grayscale):** 16-bit input, 8-bit output

**Scanner Bit Depth (Black & White):** 16-bit input, 1-bit output

**Scan Speed (Flatbed / ADF (Simplex)):**

200dpi, Black: 12 sec / Up to 4.5 ipm

200dpi, Colour: 29 sec / Up to 4.5 ipm

**Paper Handling:**

- ✓ Number of Paper Trays: 1
- ✓ Standard Paper Input Capacity:
  - Up to 100 sheets-A4 / Letter Plain paper (80 g/m<sup>2</sup>)
  - Up to 20 sheets-Premium Glossy Photo Paper

**Output Capacity:**

- ✓ Up to 30 sheets of plain paper (80 g/m<sup>2</sup>)
- ✓ 20 sheets, Premium Glossy Photo Paper

**Maximum Paper Size:** 215.9 x 1200 mm (8.5 x 47.24")

**Paper Size:** Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6

**Print Margin:** 0 mm top, left, right, bottom via custom settings in printer driver

**Scanner Type:** Flatbed colour image scanner

**Sensor Type:** CIS

**Scan Speed: Flatbed (Black / Colour):** 200 dpi: 11 sec / 200 dpi: 32 sec

- ✓ Up to 30 sheets, A4 plain paper
- ✓ 20 sheets, Premium Glossy Photo Paper

**Paper Feed Method:** Friction feed

**Consumables:**

- ✓ **Black Ink Bottle:** 4,500 pages
- ✓ **Cyan Ink Bottle:** 7,500 (Composite Yield)



- ✓ **Magenta Ink Bottle:** 7,500 (Composite Yield)
- ✓ **Yellow Ink Bottle:** 7,500 (Composite Yield)
- ✓ **Printing Technology:** On-demand inkjet (Piezoelectric)
- ✓ **Nozzle Configuration:** 180 x 1 nozzles Black, 59 x 1 nozzles per colour (Cyan, Magenta, Yellow)

**Print Direction:** Bi-directional printing

**Maximum Print Resolution:** 5760 x 1440 dpi (with Variable-Sized Droplet Technology) 5760 x 1440 dpi (with Variable-Sized Droplet Technology)

**Minimum Ink Droplet Size:** 3 pl

**Printer Language:** ESC / P-R

**Automatic 2-sided Printing:** YES

**Interface:** USB 2.0

**Network:** Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct

**Network Protocol:** TCP/IPv4, TCP/IPv6

**Network Management Protocols:** SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD

**LCD Screen:** 1.44" Colour LCD

**Warranty:** at least 1 year with local Authorized Service Center





## Wi-Fi Duplex All-in-One Inkjet Printer

### TECH SPECS

#### Print Speed:

**Draft, A4 (Black / Colour):** Up to 34ppm / 34ppm \*1  
**ISO 24734, A4 Simplex (Black / Colour):** Up to 24ipm / 24ipm \*1  
**ISO 24734, A4 Duplex (Black / Colour):** Up to 15ipm / 15ipm \*1

#### Copy Speed:

**Copy Quality:** Text, Text & Image, Text & Image (Best), Photo  
**Maximum Copies from Standalone:** 999 copies  
**Reduction / Enlargement:** 25 - 400%, Auto Fit Function  
**Maximum Copy Size:** A4, Letter  
**ISO 29183, A4, Simplex (Black / Colour):** Up to 22ipm / 22ipm  
**ISO 24735, A4 (Black/Colour, 1:1):** Up to 22ipm / 22ipm  
**ISO 24735, A4 (Black/Colour, 1:2, 2:2):** Up to 14ipm / 14ipm  
**Max Copy Resolution:** 600 x 1200 dpi  
**Copy Paper Size (Flatbed):** Letter, A4, B5, A5, B6, A6, 16K, 13 x 18 cm, 16:9, 10 x 15 cm, #10, DL, C4, C6

#### Scan Function:

**Scanner Type:** Flatbed colour image scanner  
**Sensor Type:** CIS  
**Optical Resolution:** 1200 x 2400 dpi  
**Maximum Scan Area:**  
216 x 297 mm (8.5" x 11.7")  
**Scanner Bit Depth (Colour):**  
48-bit input, 24-bit output  
**Scanner Bit Depth (Grayscale):**  
16-bit input, 8-bit output  
**Scanner Bit Depth (Black & White):**  
16-bit input, 1-bit output

#### Scan Speed:

**Flatbed (Black / Colour):**  
(200dpi) 5.0 sec / 5.0 sec  
**ADF Monochrome (Simplex / Duplex):**  
(200dpi) 24ppm / 8.0ipm  
**ADF Colour (Simplex / Duplex):** (200dpi) 24ppm / 8.0ipm

#### Fax Function:

**Type Of Fax:**

3

Walk-up Black-and-white and Colour Fax Capability

Receive Memory / Page Memory:

6MB, Up to 550 pages (ITU-T No.1 chart)

Error Correction Mode:

ITU Group3 Fax with Error Correction Mode

Fax Speed (Data Transfer Rate):

Up to 33.6kbps, Approx. 3sec/page

Fax Resolution:

Up to 200 x 200 dpi

Transmission Paper Size (Flatbed):

A5, B5(JIS), Letter, A4

Transmission Paper Size (ADF):

Letter, A4, Legal, A5, B5, 8.5" x 13"

Receiving Paper Size:

A5, B5(JIS), Letter, A4, Legal, 8.5" x 13"

Speed Dial / Group Dial:

Up to 200 numbers, 199 groups

Fax Features:

PC Fax (Transmission / Receive), Address Book, Delay Send, Transmit Reservation (50 case), Broadcast Fax (Mono Only)

Card Slot / USB Host Function:

USB Host Function:

USB Host (Scan to memory device / Storage function)

Type of Direct Printing:

USB Memory

Paper Handling:

Number of Paper Trays:

2 (Front 1, Rear 1)

Paper Hold Capacity:

(Input Capacity) Cassette 1: 250 sheets (80g/m2), 50 sheets Premium Glossy Photo Paper

(Input Capacity) Rear Slot: 80 sheets (80g/m2)

(Output Capacity) 150 sheets (80g/m2), 20 sheets Premium Glossy Photo Paper

Standard Paper Input Capacity:

Cassette 1: 250 sheets, A4 Plain paper (80g/m2)

Maximum Paper Size:

215.9 x 6,000 mm (8.5 x 236.2")

Paper Feed Method:

Friction feed

Paper Size:

8.5 x 13 inches, Legal, Letter, A4, Executive, B5, A5, A6, B6, 5 x 7 inches, 16:9 wide, 4 x 6 inches, Envelopes: #10, DL, C6, C4

Print Margin:

3mm top, left, right, bottom

Interface:

USB:

USB 2.0

Network:

Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct, NFC

Network Protocol:

TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD

Network Management Protocols:

SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD

Security Functions:

Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode

Control Panel:





**LCD Screen:** 4.3 inches Colour Touch LCD

**Noise Level:**

PC Printing / Plain Paper Default \*3:  
6.6B(A), 54dB(A)

**Consumables:**

Standard Capacity Black:  
3,000 pages  
Standard Capacity Cyan:  
3,000 pages (Composite Yield)  
Standard Capacity Magenta:  
3,000 pages (Composite Yield)  
Standard Capacity Yellow:  
3,000 pages (Composite Yield)  
Maintenance Box:  
C13T671600  
XL Black:  
10,000 pages

**Options:**

500-sheet paper cassette:  
C12C932871

**Dimensions and Weight:**

Dimensions (W x D x H):  
425 x 535 x 357 mm  
Weight:  
18.7kg

**Printing Technology:**

**Printer Type:** Print, Scan, Copy, Fax with ADF  
**Print Method:** PrecisionCore Printhead  
**Minimum Ink Droplet Volume:** 3.8 pl  
**Printer Language:** ESC/P-R  
**Maximum Monthly Duty Cycle:** Up to 45,000 pages \*2  
**Print Direction:** Bi-directional printing, Uni-directional printing  
**Nozzle Configuration:** 400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)  
Maximum Resolution:  
4800 x 1200 dpi (with Variable-Sized Droplet Technology)  
Printer Control Language Emulations:  
PCL5c, PCL6, Compatible with PostScript Level 3, PDF (ver1.7)

**Automatic 2-sided Printing:** Yes (up to A4)

**ADF Specifications:**

**Support Paper Thickness:** 64 - 95 g/m2  
**Paper Capacity:** 50 pages (80g/m2)

**Supported OS and Applications:**

Supported OS:  
Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later

With Local Authorize Service Center and With Warranty of at least 1 year



3



## Technical Specifications

### 1TB Internal SATA SSD (2.5 inches)

2.5 inches standard size;  
6Gbs SATA Interface  
560 Mbps read speed;  
510 Mbps write speed;  
SMART Support  
With at least 2 years warranty

2

④




NOTEBOOKCHECK

KEYBOARD FOR HP PROBOOK 450 G5

1/1





2



## 21 LCD Monitor Specifications

**Aspect Ratio:** 16: 9

**Resolution:** 1920x1080 (FULL HD) with 5 ms response time

**Contrast Ratio:** 1000:1 native contrast ration

**Brightness Rating:** 250 cd/m<sup>2</sup>

**Adjustable tilt:** Yes

**Interface/Port:** DVI, HDMI, VGA

**Technology:** Twisted Nematic Film

**Eco-Friendly:** Yes

**Magnetic Area on Stand:** Yes

**VESA mount capability:** Yes

**With Warranty:** at least 1-3 years warranty with Local Service Center

